TOP SECRET

BCA-15/0001/69

Basic Imagery Interpretation Brief



NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

50X1

SHUANGCHENGTZU SSM-SAM ASSEMBLY AND CHECKOUT COMPLEX

B.E. NONE

MISSILE RANGES - STRATEGIC SSM & SPACE FACILITIES
CHINA
DECEMBER 1968

COPY NO. 105

...2....PAGES

TOP SECRET

Declassified in Part - Sanitized Copy Approved for Release 2013/05/30 : CIA-RDP78T04739A000100070001-4

WARNING

This document contains Information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive information in the designated control channels. Its security must be maintained in accordance with regulations pertaining to TALENT-KEYHOLE Control System.

INSTALLATION OR ACTIV	/ITY NAME			**		COUNTRY	
		Assembly and Ch	eckout Co	mplex		СН	
UTM COORDINATES NA	GEOGRAPHIC COORD		Category None	BE NUMBER None	COMIREX NO.	NIETB NO	50)
MAPREFERENCE							
ACIC. USAT	CC 200, Sheet	0287-16HL, 1st	ed, May 6		:200,000 (SI	ECRET)	
			NA				50)
	<u> </u>		IVA.			,	
		NC	TICE				
The r	report listed	below substanti		sfies the	evisting be	sie menem	·+
ing requir	rements for th	is target. Mir	or change	s are incl	uded under	Basic	U-
	NPIC.	SSM Hous	ing and S	upport Area	a and Opera	tional Su	_{ip-} 50)
]	oort Facilitie (TOP SECRET RU	s, Shuang-Cheng FF)	-tzu Miss	ile Test C	enter, China	a, Jun 67	
	`	·	SCRIPTION				٠.
,		the SSM-SAM Ass					
structed r lines were	lear the weste e constructed	(Figure 1). A rn end of the S from this heat	small hea AM assemb plant to	t plant, 30 ly and chec three near)	0 by 20 feet ckout area a by buildings	and steam s. A	
structed r lines were steamline, heat plant feet, was The fence has been r	y few changes near the weste constructed approximatel to a new 25- observed in t that enclosed	(Figure 1). A rn end of the S	small hea AM assemb plant to ong, was c lding. A orner of t eart of th	t plant, 30 ly and check three nearly constructed in earth-conhe SSM Asset e S	O by 20 feet ckout area aby buildings west from twered bunkers and Chambly and Chamble Cha	and steams. A the main r, 35 by heckout Ar	25 rea.
structed relines were steamline, heat plant feet, was The fence has been repied by games with the structure of the structure	y few changes near the wester constructed approximate to a new 25-observed in that enclosed removed and over plots. The transporte Two sizes of the control	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot bui he northwest cothe built-up p	small hea AM assemb plant to ong, was c lding. A orner of t art of th large ope ly observ 0 and 50 A maximu	t plant, 30 ly and check three nearly constructed in earth-con he SSM Assemble as SSM Assemble as the control of the control o	O by 20 feetckout area aby buildings west from tweed bunkers embly and Chathe west is the SSM pornegth, have betternsporters	and steam s. A the main r, 35 by neckout Ar now occu tion of t	25 rea. ea.
structed relines were steamline, heat plant feet, was The fence has been a pied by game of the feet was been a pied by game of the feet was been a pied by game of the feet was been a feet wa	y few changes hear the wester constructed, approximately to a new 25-observed in the that enclosed removed and over the transporte. Two sizes of the charten of the construction of the co	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest conthe built-up rer half of the rs are frequent transporters, free hardstand.	small head AM assembly plant to one, was colding. A corner of the large ope and 50 A maximu one photo	t plant, 30 ly and check three nearly constructed in earth-conhe SSM Asset in area to see within the feet in less most four graphic constructed on standard carried ca	O by 20 feeckout area aby buildings west from vered bunkers ambly and Chathe west is the SSM porningth, have burransporters verage.	and steam s. A the main r, 35 by neckout A eckout Ar now occu tion of t been ob- s, two of in the co ved next	25 rea. ea - he
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker of th	y few changes hear the wester constructed, approximately to a new 25-observed in that enclosed removed and overden plots. Two sizes of the changes of the changes of the changes in the change of the changes in feed as a changes in f	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest conthe built-up per half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and	small hea AM assemb plant to ong, was c lding. A orner of t art of th large ope Ly observ O and 50 A maximu one photo been obs a both Marc	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. ea. he he
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker observed of the checker observed of the checker observed of the checker of the checker observed of the checker	y few changes hear the wester constructed, approximately to a new 25-observed in that enclosed removed and overden plots. Two sizes of the changes of the changes of the changes in the change of the changes in feed as a changes in f	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest con the built-up rer half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and 1y building on accilities and the between December 1,000 feet 1,000 f	small hea AM assemb plant to ong, was c lding. A orner of t art of th large ope Ly observ O and 50 A maximu one photo been obs a both Marc	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. rea. he t50X1
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker observed of the checker observed of the checker observed of the checker of the c	y few changes hear the wester constructed, approximately to a new 25-observed in that enclosed removed and overden plots. Two sizes of the changes of the changes of the changes in the change of the changes in feed as a changes in f	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest con the built-up rer half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and 1y building on accilities and the between December 1,000 feet 1,000 f	small head AM assembly plant to one, was colding. A some of the large ope of the large open of the large open open open open open open open ope	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. rea. he t50X1
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker observed of the checker observed of the checker observed of the checker of the checker observed of the checker	y few changes hear the wester constructed, approximately to a new 25-observed in that enclosed removed and overden plots. Two sizes of the changes of the changes of the changes in the change of the changes in feed as a changes in f	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest con the built-up rer half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and 1y building on accilities and the between December 1,000 feet 1,000 f	small head AM assembly plant to one, was colding. A some of the large ope of the large open of the large open open open open open open open ope	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. rea. he t50X1
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker observed of the checker observed of the checker observed of the checker of the c	y few changes hear the wester constructed, approximately to a new 25-observed in that enclosed removed and overden plots. Two sizes of the changes of the changes of the changes in the change of the changes in feed as a changes in f	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest con the built-up rer half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and 1y building on accilities and the between December 1,000 feet 1,000 f	small head AM assembly plant to one, was colding. A some of the large ope of the large open of the large open open open open open open open ope	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. rea. he t50X1
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker observed of the checker observed of the checker observed of the checker of the c	y few changes hear the wester constructed, approximately to a new 25-observed in that enclosed removed and overden plots. Two sizes of the changes of the changes of the changes in the change of the changes in feed as a changes in f	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest con the built-up rer half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and 1y building on accilities and the between December 1,000 feet 1,000 f	small head AM assembly plant to one, was colding. A some of the large ope of the large open of the large open open open open open open open ope	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. rea. he t50X1
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker observed of the checker observed of the checker observed of the checker of the c	y few changes hear the wester constructed, approximately to a new 25-observed in that enclosed removed and overden plots. Two sizes of the changes of the changes of the changes in the change of the changes in feed as a changes in f	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest con the built-up rer half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and 1y building on accilities and the between December 1,000 feet 1,000 f	small head AM assembly plant to one, was colding. A some of the large ope of the large open of the large open open open open open open open ope	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. rea. he t50X1
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker observed of Figure 1.	r few changes near the wester constructed approximate to a new 25-observed in that enclosed arden plots. Two sizes of the transporte Two sizes of the control of the last, have been on the last, have been on the control of the transporte for the control of the transporte of the control of the transporte of the control o	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest con the built-up rer half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and 1y building on accilities and the between December 1,000 feet 1,000 f	small head AM assembly plant to one, was colding. A some of the large ope of the large open of the large open open open open open open open ope	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. rea. he t50X1
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker observed of Figure 1.	y few changes hear the wester constructed approximate to a new 25-observed in the transported and over the transported and the sizes of the construction of the sizes of the si	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot built he northwest con the built-up rer half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and 1y building on accilities and the between December 1,000 feet 1,000 f	small head AM assembly plant to one, was colding. A some of the large ope of the large open of the large open open open open open open open ope	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. rea. he t50X1
structed relines were steamline, heat plant feet, was The fence has been repied by games with the checker observed of Figure 1.	r few changes near the wester constructed approximate to a new 25-observed in that enclosed arden plots. Two sizes of the transporte Two sizes of the control of the last, have been on the last, have been on the control of the transporte for the control of the transporte of the control of the transporte of the control o	(Figure 1). A rn end of the S from this heat y 1,700 feet 10 by 25-foot bui he northwest co the built-up r er half of the rs are frequent transporters, 6 rge hardstand. bserved on any rail cars have ed rail car and ly building on accilities and t between Decemb	small headam assembly plant to one, was calding. A some of the large ope of the large open of the large open open open open open open open ope	t plant, 30 ly and check three nearly constructed nearth-come SSM Assemble as SSM Assemble as the construction of four freet in less of four four freet in less of four freet in	O by 20 feeckout area aby buildings west from evered bunkers be bunkers and Charles and Charles are bus the SSM pornight, have be transporters verage. idings with were obsert 1967 photostruction was	and steam s. A the main r, 35 by neckout Ar now occu tion of t been ob- s, two of in the co ved next ography. as first	25 rea. ea - he ±50X1

Declassified in Part - Sanitized Copy Approved for Release 2013/05/30 : CIA-RDP78T04739A000100070001-4

